ENA 8: Specifications

Print Datasheet Specialities Number of specialities 15 Espresso \checkmark 2 × Espresso \checkmark Coffee \checkmark 2 × Coffee \checkmark Caffè Barista \checkmark Espresso doppio \checkmark Cortado \checkmark Cappuccino \checkmark Cappuccino Extra Shot \checkmark Flat white \checkmark Flat white Extra Shot \checkmark \checkmark Latte macchiato Latte macchiato Extra Shot \checkmark \checkmark Portion of milk foam Hot water \checkmark **Specific benefits** Wi-Fi connection to home network \checkmark Transmitter supplied as standard JURA coffee machine standards Grinder Professional Aroma Grinder (P.A.G.) Powder chute for ground coffee \checkmark

/20/25, 4:29 PM	ENA 8 - JURA Oman
Lungo function	\checkmark
Pulse Extraction Process (P.E.P.®)	\checkmark
Variable brewing unit	6–10 g
High-performance pump, 15 bar	1
Thermoblock heating system	1
Fluid systems	1
Milk system / interchangeable milk spout	HP1/CX1
Operating and programming standards	
Display	2.8" touchscreen colour display
Individually programmable quantity of water for coffee	\checkmark
Individually programmable coffee strength	10 levels
Individually programmable brewing temperature	3 levels
Individually programmable amount of milk/milk foam	\checkmark
Individually programmable hot water temperature	3 levels
Compatible with J.O.E.®	\checkmark
Hygiene standards	
Automatic filter detection	\checkmark
Filter cartridge	CLARIS Smart+
Integrated rinsing, cleaning and descaling programme	¢ √
Monitored drip tray	\checkmark
JURA hygiene: TÜV-certified	\checkmark
Energy standards	
Energy Save Mode (E.S.M.©)	\checkmark
Zero-Energy Switch or power switch	\checkmark
Programmable switch-off time	\checkmark

Design and materials

Cup illumination✓In figuresHeight-adjustable/width-adjustable dual spout68 – 138 mm / –Height-adjustable hot-water spout70 – 140 mmWater tank capacity1.1 lBean container holding capacity125 gCoffee grounds container (approx. servings)10Cable length1.1 mVoltage / power230 V ~ / 1450 WCurrent10 AEnergy consumption / energy efficiency class/Weight0 WWeight9.4 kg	
Height-adjustable/width-adjustable dual spout $68-138 \text{ mm/-}$ Height-adjustable hot-water spout $70-140 \text{ mm}$ Water tank capacity 1.11 Bean container holding capacity 125 g Coffee grounds container (approx. servings) 10 Cable length 1.1 m Voltage / power $230 \text{ V} ~ / 1450 \text{ W}$ Current 10 A Energy consumption / energy efficiency class $/$ Stand-by power 0 W	
Height-adjustable hot-water spout70 – 140 mmWater tank capacity1.1 lBean container holding capacity125 gCoffee grounds container (approx. servings)10Cable length1.1 mVoltage / power230 V ~ / 1450 WCurrent10 AEnergy consumption / energy efficiency class/Stand-by power0 W	
Water tank capacity1.1 IBean container holding capacity125 gCoffee grounds container (approx. servings)10Cable length1.1 mVoltage / power230 V ~ / 1450 WCurrent10 AEnergy consumption / energy efficiency class/Stand-by power0 W	
Bean container holding capacity125 gCoffee grounds container (approx. servings)10Cable length1.1 mVoltage / power230 V ~ / 1450 WCurrent10 AEnergy consumption / energy efficiency class/Stand-by power0 W	
Coffee grounds container (approx. servings)10Cable length1.1 mVoltage / power230 V ~ / 1450 WCurrent10 AEnergy consumption / energy efficiency class/Stand-by power0 W	
Cable length1.1 mVoltage / power230 V ~ / 1450 WCurrent10 AEnergy consumption / energy efficiency class/Stand-by power0 W	
Voltage / power230 V ~ / 1450 WCurrent10 AEnergy consumption / energy efficiency class/Stand-by power0 W	
Current10 AEnergy consumption / energy efficiency class/Stand-by power0 W	
Energy consumption / energy efficiency class/Stand-by power0 W	
Stand-by power 0 W	
Weight 9.4 kg	
Dimensions (W × H × D) $27.1 \times 32.3 \times 44.5$ cm	
Article number, product code 15510, Full Metropolitar (UKC)	Black
EAN code 7610917155101	
Country of production Made in Portugal	
Model year 2022	