GIGA X8: Specifications

Print Datasheet

Print Datasheet		
Recommended maximum daily output		
Recommended maximum daily output	200	
Areas of use		
Catering	✓	
Coffee to Go	✓	
Office floor solutions	✓	
Seminar/conference facilities	✓	
Specialities		
Ristretto	✓	
2 × Ristretto	✓	
Espresso	✓	
2 × Espresso	✓	
Coffee	✓	
2 × Coffee	✓	
Americano	✓	
2 x Americano	✓	
Lungo	✓	
2 x Lungo	\checkmark	
Special coffee	✓	
2 × Special coffee	✓	
Espresso doppio	✓	
Pot of coffee	✓	
Espresso macchiato	\checkmark	

720/25, 4:07 T W	OIOA AO - SOI A OIIIAIT
2 × Espresso macchiato	\checkmark
Caffè latte	✓
2 × Caffè latte	✓
Cappuccino	✓
2 × Cappuccino	✓
Flat white	✓
2 × Flat white	✓
Latte macchiato	\checkmark
2 × Latte macchiato	✓
Portion of milk foam	✓
2 × Portion of milk foam	✓
Portion of milk	✓
2 × Portion of milk	✓
Hot water	✓
Hot water for green tea	\checkmark
Hot water for black tea	\checkmark
Ground coffee	\checkmark
Number of cups per hour (as per DIN 18873-2)	
Espresso	89
2 × Espresso	138
Coffee	72
2 × Coffee	82
Cappuccino	78
2 × Cappuccino	110
Hot water	116

Specific benefits

Number of specialities	32
Speed function	✓
Automatic Grinder Adjustment (A.G.A.)	✓
Automatic switching between milk and milk foam	✓
Transmitter supplied as standard	Smart Connect
JURA coffee machine standards	
Pulse Extraction Process (P.E.P.®)	✓
Lungo function	✓
Variable brewing unit	5-16 g
Grinder	2 electronically adjustable ceramic disc grinders
High-performance pump, 15 bar	2
Thermoblock heating system	2
Fluid systems	2
Milk system / interchangeable milk spout	HP3/CX2
Powder chute for ground coffee	✓
Aroma preservation cover	\checkmark
Active bean monitoring	\checkmark
Operating and programming standards	
Rotary Switch	✓
Display	4.3" touchscreen colour display
Position, duplicate and personalise products according to personal preference	\checkmark
Individually programmable quantity of water for coffee	\checkmark
Individually programmable coffee strength	10 levels
Individually programmable coffee strength Individually programmable amount of milk/milk foam	10 levels ✓

Individually programmable brewing temperature	3 levels
Individually programmable hot water temperature	3 levels
Intelligent Pre-Brew Aroma System with optional deactivation	✓
Generating code groups	✓
Resettable day counter	✓
Shows the number of preparations for each individual product	✓
Connectivity	
Smart Connect	\checkmark
Wi-Fi Connect	✓
Payment Connect	✓
Payment and telemetry systems	
Pocket Pilot 2.0	✓
Data Communicator	✓
Hygiene standards	
Automatic filter detection	\checkmark
Filter cartridge	CLARIS Pro Smart maxi / CLARIS Pro Smart
One-Touch milk system cleaning (automatic)	✓
One-Touch milk system cleaning (automatic) Integrated rinsing, cleaning and descaling programme	✓ ✓
Integrated rinsing, cleaning and descaling programme	✓
Integrated rinsing, cleaning and descaling programme Monitored drip tray	✓ ✓
Integrated rinsing, cleaning and descaling programme Monitored drip tray JURA hygiene: TÜV-certified	✓ ✓
Integrated rinsing, cleaning and descaling programme Monitored drip tray JURA hygiene: TÜV-certified Energy standards	✓ ✓
Integrated rinsing, cleaning and descaling programme Monitored drip tray JURA hygiene: TÜV-certified Energy standards Energy Save Mode (E.S.M.©)	✓ ✓

Design and materials	
Alu Frame Design© 3 mm	✓
Centre panel in Piano Black	✓
Cup illumination	✓
In figures	
Height-adjustable/width-adjustable dual spout	70 – 159 mm / –
Height-adjustable hot-water spout	69 – 165 mm
Water tank capacity	5
Bean container holding capacity	2 × 650 g
Coffee grounds container (approx. servings)	40
Cable length	1.1 m
Voltage / power	230 V ~ / 2700 W
Current	10 A
Stand-by power	< 0,5 W
Weight	19 kg
Dimensions (W \times H \times D)	37 × 56.5 × 49.7 cm
Article number, product code	15566, Aluminium Black (EB)
EAN code	7610917155668
Country of production	Made in Switzerland
Model year	2023