X10: Specifications

Print Datasheet

Recommended maximum daily output

Recommended maximum daily output	100
Areas of use	
Large offices	\checkmark
Canteens	\checkmark
Self-service areas	\checkmark
Care facilities	\checkmark
Specialities	
Espresso	\checkmark
2 × Espresso	\checkmark
Cold Brew Espresso	\checkmark
Coffee	\checkmark
2 × Coffee	\checkmark
Cold Brew Coffee	\checkmark
Americano	\checkmark
2 x Americano	\checkmark
Cold Brew Americano	\checkmark
Lungo	\checkmark
2 x Lungo	\checkmark
Cold Brew Lungo	\checkmark
Cortado	\checkmark
2 × Cortado	\checkmark
Cold Brew Cortado	\checkmark

/20/25, 3:51 PM	X10 - JURA Oman
Caffè latte	\checkmark
2 × Caffè latte	\checkmark
Cold Brew Caffè latte	\checkmark
Cappuccino	\checkmark
2 × Cappuccino	\checkmark
Cold Brew Cappuccino	\checkmark
Cappuccino Extra Shot	\checkmark
Flat white	\checkmark
2 × Flat white	\checkmark
Cold Brew flat white	\checkmark
Flat white Extra Shot	\checkmark
Latte macchiato	\checkmark
2 × Latte macchiato	\checkmark
Cold Brew Latte macchiato	\checkmark
Latte macchiato Extra Shot	\checkmark
Portion of milk foam	\checkmark
2 × Portion of milk foam	\checkmark
Portion of milk	\checkmark
$2 \times Portion of milk$	\checkmark
Hot water	\checkmark
Number of cups per hour (as per DIN 18873-2)	
Espresso	92
2 × Espresso	134
Coffee	68
2 × Coffee	80
Cappuccino	72
2 × Cappuccino	104

20/25, 3:51 PM X10 - JURA Oman	
Hot water	60
Specific benefits	
Number of specialities	35
Cold Extraction Process	\checkmark
Automatic switching between milk and milk foam	\checkmark
Wi-Fi connection to home network	\checkmark
Transmitter supplied as standard	_
JURA coffee machine standards	
Pulse Extraction Process (P.E.P.®)	\checkmark
Lungo function	\checkmark
Variable brewing unit	5–16 g
Grinder	P.A.G.2+
High-performance pump, 15 bar	1
Thermoblock heating system	1
Fluid systems	1
Milk system / interchangeable milk spout	HP3/CX2
Aroma preservation cover	\checkmark
Active bean monitoring	\checkmark
Operating and programming standards	
Display	3.5" colour display with buttons
Individually programmable quantity of water for coffee	\checkmark
Individually programmable coffee strength	10 levels
Individually programmable amount of milk/milk foam	\checkmark
Individually programmable milk/milk foam temperature	3 levels
Individually programmable brewing temperature	3 levels
Individually programmable hot water temperature	3 levels

0/25, 3:51 PM X10 - JURA	Oman
Resettable day counter	\checkmark
Shows the number of preparations for each individual product	\checkmark
Connectivity	
Smart Connect	\checkmark
Wi-Fi Connect	\checkmark
Payment Connect	\checkmark
MDB Connect	\checkmark
Payment and telemetry systems	
Pocket Pilot 2.0	\checkmark
Data Communicator	\checkmark
MDB Interface 2.0	\checkmark
Hygiene standards	
Automatic filter detection	\checkmark
Filter cartridge	CLARIS Pro Smart maxi / CLARIS Pro Smart+
One-Touch milk system cleaning (automatic)	\checkmark
Integrated rinsing, cleaning and descaling programme	\checkmark
Monitored drip tray	\checkmark
Lockable bean container and water tank	\checkmark
JURA hygiene: TÜV-certified	\checkmark
Energy standards	
Energy Save Mode (E.S.M.©)	\checkmark
Zero-Energy Switch or power switch	\checkmark
Programmable switch-off time	\checkmark
Design and materials	
Cup illumination	\checkmark

7/20/25, 3:51 PM

In figures

Height-adjustable dual spout with hot-water spout	63 – 150 mm
Water tank capacity	5
Bean container holding capacity	500 g
Bean container optionally expanded to	1 kg
Coffee grounds container (approx. servings)	40
Cable length	1.2 m
Voltage / power	230 V ~ / 1450 W
Current	10 A
Stand-by power	< 0,5 W
Weight	13.2 kg
Weight (net)	13.2 kg
Weight (gross)	17.1 kg
Dimensions (W \times H \times D)	37.3 × 47 × 46.1 cm
Dimensions (W×H×D) with bean container attachment	37.3 × 52.4 × 46.1 cm
Article number, product code	15668, Dark Inox (INTA)
Country of production	Made in Switzerland
Model year	2023
Weight (net) Weight (gross) Dimensions (W × H × D) Dimensions (W×H×D) with bean container attachment Article number, product code Country of production	13.2 kg 17.1 kg 37.3 × 47 × 46.1 cm 37.3 × 52.4 × 46.1 cm 15668, Dark Inox (INTA) Made in Switzerland