## **Z10: Specifications**

Print Datasheet	
-----------------	--

Specialities	
Number of specialities	40
Espresso	$\checkmark$
Cold Brew Espresso	$\checkmark$
2 × Espresso	✓
Coffee	$\checkmark$
Cold Brew Coffee	$\checkmark$
2 × Coffee	$\checkmark$
Americano	$\checkmark$
2 x Americano	$\checkmark$
Lungo	$\checkmark$
2 x Lungo	$\checkmark$
Espresso doppio	✓
Pot of coffee	$\checkmark$
Cortado	$\checkmark$
Cold Brew Cortado	$\checkmark$
Sweet Cortado	$\checkmark$
Espresso macchiato	$\checkmark$
Cold Brew Espresso macchiato	$\checkmark$
Sweet Espresso macchiato	$\checkmark$
Caffè latte	$\checkmark$
Cold Brew Caffè latte	$\checkmark$
Sweet Caffè latte	✓
Caffè latte Extra Shot	✓

Cappuccino	$\checkmark$
Cold Brew Cappuccino	✓
Sweet Cappuccino	✓
Cappuccino Extra Shot	✓
Flat white	✓
Cold Brew flat white	✓
Sweet Flat White	✓
Flat white Extra Shot	✓
Latte macchiato	✓
Cold Brew Latte macchiato	✓
Sweet Latte macchiato	✓
Latte macchiato Extra Shot	✓
Portion of milk foam	✓
Sweet portion of milk foam	✓
Portion of milk	✓
Sweet Portion of milk	✓
Hot water	✓
Hot water for green tea	✓
Specific benefits	
Cold Extraction Process	$\checkmark$
Sweet Foam Function	$\checkmark$
Active bean monitoring	✓
Automatic Grinder Adjustment (A.G.A.)	✓
Automatic switching between milk and milk foam	$\checkmark$
Wi-Fi connection to home network	✓
Transmitter supplied as standard	Wi-Fi Connect

## JURA coffee machine standards

Grinder	Product Recognising Grinder (P.R.G.)
Powder chute for ground coffee	✓
Lungo function	✓
Pulse Extraction Process (P.E.P.®)	✓
Variable brewing unit	5 – 16 g
High-performance pump, 15 bar	1
Thermoblock heating system	1
Fluid systems	1
Milk system / interchangeable milk spout	HP3/CX3
Operating and programming standards	
Display	4.3" touchscreen colour display
Position, duplicate and personalise products according to personal preference	✓
Individually programmable quantity of water for coffee	✓
Individually programmable coffee strength	10 levels
Individually programmable consistency of grind	5 levels
Individually programmable brewing temperature	3 levels
Individually programmable amount of milk/milk foam	✓
Individually programmable milk/milk foam temperature	10 levels
Individually programmable hot water temperature	3 levels
Compatible with J.O.E.®	✓
Rotary Switch	✓
Hygiene standards	
Automatic filter detection	✓
Filter cartridge	CLARIS Smart+

One-Touch milk system cleaning (automatic)	✓
Integrated rinsing, cleaning and descaling programme	$\checkmark$
Monitored drip tray	✓
JURA hygiene: TÜV-certified	✓
Energy standards	
Energy Save Mode (E.S.M.©)	$\checkmark$
Zero-Energy Switch or power switch	✓
Programmable switch-off time	<b>√</b>
Design and materials	
Two-component technology front sections	$\checkmark$
Cup illumination	$\checkmark$
Water tank illumination	✓
In figures	
Height-adjustable/width-adjustable dual spout	78 – 150 mm / 24 – 50 mm
Height-adjustable/width-adjustable dual spout  Height-adjustable hot-water spout	78 – 150 mm / 24 – 50 mm 82 – 154 mm
Height-adjustable hot-water spout	82 – 154 mm
Height-adjustable hot-water spout  Water tank capacity	82 – 154 mm 2.4 l
Height-adjustable hot-water spout  Water tank capacity  Bean container holding capacity	82 – 154 mm 2.4 l 280 g
Height-adjustable hot-water spout  Water tank capacity  Bean container holding capacity  Coffee grounds container (approx. servings)	82 – 154 mm 2.4 I 280 g 20
Height-adjustable hot-water spout  Water tank capacity  Bean container holding capacity  Coffee grounds container (approx. servings)  Cable length	82 – 154 mm  2.4 I  280 g  20  1.1 m
Height-adjustable hot-water spout  Water tank capacity  Bean container holding capacity  Coffee grounds container (approx. servings)  Cable length  Voltage / power	82 – 154 mm  2.4 I  280 g  20  1.1 m  230 V ~ / 1450 W
Height-adjustable hot-water spout  Water tank capacity  Bean container holding capacity  Coffee grounds container (approx. servings)  Cable length  Voltage / power  Current	82 – 154 mm  2.4 I  280 g  20  1.1 m  230 V ~ / 1450 W  10 A
Height-adjustable hot-water spout  Water tank capacity  Bean container holding capacity  Coffee grounds container (approx. servings)  Cable length  Voltage / power  Current  Stand-by power	82 – 154 mm  2.4 I  280 g  20  1.1 m  230 V ~ / 1450 W  10 A  0 W
Height-adjustable hot-water spout  Water tank capacity  Bean container holding capacity  Coffee grounds container (approx. servings)  Cable length  Voltage / power  Current  Stand-by power  Weight	82 – 154 mm  2.4 I  280 g  20  1.1 m  230 V ~ / 1450 W  10 A  0 W  12 kg
Height-adjustable hot-water spout  Water tank capacity  Bean container holding capacity  Coffee grounds container (approx. servings)  Cable length  Voltage / power  Current  Stand-by power  Weight  Dimensions (W × H × D)	82 – 154 mm  2.4 I  280 g  20  1.1 m  230 V ~ / 1450 W  10 A  0 W  12 kg  32 × 36.3 × 47 cm

7/20/25, 4:16 PM Z10 - JURA Oman

Country of production	Made in Switzerland
Model year	2021